

STOP!

DO NOT INSTALL UNTIL YOU HAVE READ THESE INSTRUCTIONS.

Call Customer Service at 1-800-465-6909
immediately if you encounter any difficulties.

Guidelines for Installation on Drywall


DAVID ROCKWELL FOR MAYA ROMANOFF

BLANKET™ Wallcovering Woven Wool (MR-BK series)

Consult Customer Service before you begin application on surfaces other than drywall.

NOTE: This is a handmade wallcovering. Materials may display certain irregularities that are inherent to the manufacturing process.

RECOMMENDED TOOLS



Seam roller &
corner seam roller




Plastic smoother




Sponge



Soft cloth



Razor blades



Heavy-Duty
Lining paper
*Available from
Maya Romanoff*



Maya Romanoff
Clear Stripable
Adhesive MR-RA-888
& 1/2" nap roller




Maya Romanoff
PRIME-TIME™
Primer MR-RA-977



Clean water




Steel straight edge



Table

MAYA ROMANOFF

1 GENERAL GUIDELINES



Product has been pre-graded; however, you must still grade for color flow within your installation.

Inspect goods carefully.

Confirm you have the correct quantity and color of product before installing. Additional yardage from this dye lot may not be available.

No allowances will be made after three (3) drops are installed.

No returns on cut goods.

No claims allowed for labor charges or consequential damages, under any conditions.

No claims allowed if lighting in area where product is hung is not finished/fully installed.

Product is not guaranteed against fading or color change.

Store material between 60° - 85° F in a dry place.

2 WALL PREPARATION


Prior to installation on new drywall, paint the walls with Maya Romanoff PRIME-TIME™ Primer (MR-RA-977) tinted close to the color of your product.

Walls should be mirror smooth (smooth and sanded).

Do not use sealing primer/do not install on sealed walls (no eggshell, satin or semi-gloss paints).

If walls are already sealed or have imperfections, we recommend hanging heavy-duty lining paper (available from Maya Romanoff) prior to installing this product.

Walls must be completely dry before installation can begin.



3 TRIMMING

Trim as needed to keep pattern repeat consistent.




Table-trim from BACKSIDE, only. Do not double-cut product on the wall.

Use a very sharp, single-edge razor blade. Use a new razor blade for each cut.

See page 4 for Trimming Diagrams.

4 PASTING

Use Maya Romanoff Adhesive MR-RA-888 (Clear Strippable)

Paste the wall and allow 2-3 minutes for paste to tack up before hanging. **DO NOT PASTE THE WALLCOVERING.**

Do not crease the wallcovering.

Do not get paste on the face of the product. **If paste gets on the face of the product, do not scrub and do not rub.** Instead, immediately and gently wipe clean with a soft, damp cloth. Do not use paper towel, wet or dry, on the product.




5 HANGING

Pattern is directional. Do not reverse hang.

Smooth product to the wall using a plastic smoother.

Gently smooth product with a plastic smoother to remove bubbles.

Do not smooth face of product with a siff or bristle brush or any other textured smoothing implement.



A seam roller may be used to set seams. Please take proper precaution.

Use a corner seam roller to ease the material into moldings, casework, etc. prior to cutting the top or bottom of product.

Slight color and/or pattern match variation may occur.

6 CARE & CLEANING

Avoid direct, bright or reflected sunlight. Our wallcoverings are not guaranteed against fading or color change.

STOP!

DO NOT INSTALL UNTIL YOU HAVE READ THESE INSTRUCTIONS.

Call Customer Service at 1-800-465-6909
immediately if you encounter any difficulties.

Maya Romanoff wallcovering materials are primarily formulated for dry-use areas.

Before cleaning any product, test first on a small inconspicuous area.


Avoid getting the wallcovering excessively wet. Do not use cleaners, solvents, or chemicals of any kind to clean Maya Romanoff products.

Wallcovering may be lightly vacuumed for normal dust accumulation.

This product may be cleaned by blotting the soiled area with a soft, clean cloth dampened with a weak solution of a mild, clear liquid detergent. Dry with a soft cloth.

7 TRIMMING DIAGRAMS

7" Horizontal repeat



MAYA ROMANOFF